TITZ (12.H.)

ANATOMY

OF THE

FASCIOLA JACKSONI.

BY

R. H. FITZ, M.D.



[REPRINTED FROM THE NEW YORK MEDICAL JOURNAL, NOV., 1876.]



NEW YORK:
D. APPLETON & COMPANY,
549 & 551 BROADWAY.
1876.

APPLETONS' PERIODICALS.

APPLETONS' JOURNAL:

A MONTHLY MISCELLANY OF POPULAR LITERATURE.

NEW SERIES.

TWENTY-FIVE CENTS PER NUMBER, THREE DOLLARS PER ANNUM,

APPLETONS' JOURNAL is now published monthly; it is devoted to popular literature and all matters of taste and general culture—published at a price to bring it within the reach of all classes. It contains superior fiction, in the form of serials and short stories; papers graphically descriptive of picturesque places; articles upon men of note, and upon the habits of different peoples; essays upon household and social topics; articles of travel and adventure; scientific and industrial articles written in a graphic and popular style. In brief, the aim is to be comprehensive, including in its plan all branches of literature and all themes of interest to intelligent readers. Each number is illustrated.

TREMS: Three dollars per annum, postage prepaid, to all subscribers in the United States; or Twenty-five Cents per number. A Club of Four Yearly Subscriptions will entitle the sender to an extra subscription gratis; that is, five copies will be sent one year for twelve dollars. For \$7.20, APPLETONS' JOURNAL and THE POPULAR SCIENCE MONTHLY (full price, eight dollars), postage prepaid.

THE POPULAR SCIENCE MONTHLY

Conducted by E. L. YOUMANS.

This periodical was started (in 1872) to promote the diffusion of valuable scientific knowledge, in a readable and attractive form, among all classes of the community, and has thus far met a want supplied by no other magazine in the United States.

no other magazine in the United States.

Containing instructive and interesting articles and abstracts of articles, original, selected, translated, and illustrated, from the pens of the leading scientific men of different countries; accounts of important scientific discoveries, the application of science to the practical arts, and the latest views put forth concenting natural phenomena, have been given by savants of the highest authority. Prominent attention has been also devoted to those various sciences which help to a better understanding of the nature of man, to the hearings of science upon the questions of society and government, to scientific education, and to the conflicts which spring from the progressive nature of scientific knowledge.

The Popular Science Monthly is published monthly in a large octavo, handsomely printed on clear type, and, when the subjects admit, fully illustrated.

Terms: \$5.00 per annum, or Fifty Cents per Number.

Postage prepaid to all Subscribers in the United States.

United States.

THE ART JOURNAL:

An International Gallery of Engravings,

BY DISTINGUISHED ARTISTS OF EUROPE AND AMERICA:

WITH ILLUSTRATED PAPERS IN THE VARIOUS BRANCHES OF ART.

The Art Journal is a monthly publication, quarto size, superbly illustrated and printed, and specially devoted to the world of Art—Painting. Sculpture, Architecture, Decoration, Engraving, Etching, Enameling, and Designing in all its branches—having in view the double purpose of supplying a complete illustrated ecoror of progress in the Arts, and of affording a means for the cultivation of Art-taste among the people. Each number is richly and abundantly illustrated on both steel and wood, and no pains are spared to render this "Art Journal," the most valuable publication of the kind in the world. It contains the Steel Plates and Illustrations of the London Art Journal, a publication of world-wide fame (the exclusive right of which, for Canada and the United States, has been purchased by the publishers); with extensive additions devoted principally to American Art and American topic. Published monthly. Sold only by Subscription. Price, 75 Cents per Number; \$9.00 per Annum, postage prepaid.

Subscriptions received by the Publishers, or their Agents. Agencies: 22 Hawley St., Boston; 922 Chestnut St., Philadelphia; 22 Post-Office Avenue, Baltimore; 53 Ninth St., Pittsburg; 100 State St., Albany; 42 State St., Rochester; 103 State St., Chicago; 30 W. 4th St., Cincinnati; 305 Locust St., St. Louis; 20 St. Charles St., New Orleans; 230 Sutter St., San Francisco.

D. APPLETON & CO., Fublishers, 549 & 551 Broadway, N. Y.

ANATOMY

OF THE

FASCIOLA JACKSONI.



[REPRINTED FROM THE NEW YORK MEDICAL JOURNAL, NOV., 1876.]

NEW YORK:
D. APPLETON & COMPANY,
549 & 551 BROADWAY.
1876.

ANATOMY OF THE FASCIOLA JACKSONI,1

Dr. Cobbold has applied this name to a fluke discovered by Dr. J. B. S. Jackson in the gall-ducts of an East Indian elephant. In his "Descriptive Catalogue of the Medical Improvement Society's Cabinet," published in 1847, Dr. Jackson records his observation, speaking of the parasite as a Distoma hepaticum, but gives no account of its minute anatomy.

Diesing ("Systema Helminthum," 1850, vol. ii., p. 560") had noticed this statement, and, according to Cobbold, allowed it to appear in his "Revision der Myzelminthen" as

the Distomum elephantis.

In 1868 Cobbold received two of the parasites from India, which were compared with a number of others, shown by Prof. Huxley, and he was thus enabled to ascertain that they represented a distinct species, which he has described somewhat in detail as follows ("Entozoa," supplement, p. 80, London, 1869):

"Body armed throughout with minute spines, orbicular, usually folded at either end toward the ventral aspect, thus presenting a concavo-convex form; oral sucker terminal, with reproductive papilla about midway between it and the ventral acetabulum, intromittent organ one-fourth inch in length; digestive apparatus with two main zigzag-shaped canals, giving

¹ Read before the Boston Society of Medical Sciences.

off alternating branches at the angles thus formed, the ultimate cæcal ramifications together occupying the whole extent of the body; length, when unrolled, from one-half to five-eighths inch; breadth, one-third to one-half inch."

In the book referred to, Cobbold suggests "that (if, happily, the flukes are still preserved in the Boston Museum) it will be found that they specifically correspond with those now in our possession."

Dr. Jackson has preserved a large number of the flukes, and has generously placed them at the disposal of Dr. H. P. Quincy, who has made and presented to the Warren Museum the series of admirable preparations in which the following observations were made:

The sections are longitudinal, transverse, and horizontal, and are so arranged that the entire length, breadth, and thickness, of the animal are preserved as numerous thin sections arranged in the natural sequence.

The sections have been stained in carmine, rendered transparent in oil of cloves, and are preserved in dammar varnish. A study of them has not only enabled me to confirm Dr. Cobbold's surmise, but has also brought to light certain features in the anatomy of the fluke of which I find no mention in the authorities I have consulted.

The special characteristic of the Fasciola is its dendritic or branched intestine—the Distoma having a simple, bifurcated intestine. The Distoma hepaticum or Fasciola hepatica, the common liver-fluke, the Fasciola gigantea found by Cobbold in the giraffe, and the present Fasciola Jacksoni, are the only forms of Fasciola yet described.

With regard to the latter, it may be stated in brief that its general shape and dimensions are as mentioned by Cobbold, and the intestinal canal has the distribution as stated by him. Instead of there being a reproductive papilla, there is rather a pocket, or depression, midway between the pharynx and ventral sucker, into the lower part of which opens the oviduct, or vagina, while in the posterior wall nearer the ventral surface is the opening for the penis. The length of the intromittent organ could not be ascertained, as it was either wholly retracted or destroyed.

Instead of finding the "body armed throughout with minute spines," the cuticle covering the abdominal surface presents a series of ridges pointing backward, and extending the entire length of the animal. Traces of a similar formation are present on the dorsal surface of the neck—elsewhere the back is quite smooth.

The cellular structure of this fluke and the arrangement of the muscular bands do not differ from the statements made by Leuckart ("Die Menschlichen Parasiten," 1863, vol. i., p. 536) with regard to the *Distomum hepaticum*.

Just beyond the terminal oral sucker is a voluminous, bottle-shaped, muscular pouch, the pharynx, with which a short tube, the œsophagus, communicates. The latter has a crenated outline, as if capable of a considerable elongation. This tube bifurcates at its lower end; the two short branches thus formed pass respectively to the sides of the animal, and enter the main intestinal canals, which extend, one on either side, along almost the entire length of the body. These canals are widely separated from each other until they approach the tail, and between them lie the sexual organs, male and female, toward the front, the remaining space, between, behind, and around, being filled in by the yolk-glands or tubes, and the cæcal pouches of the intestine. The latter arise as primary, secondary, and even tertiary divisions from branches given off more or less alternately from the main canals, and their general direction is backward. Those running toward the median line are short, with comparatively few branches, while the external tubes are considerably longer, often bifurcating before the secondary and tertiary canals arise. The largest number of cæcal pouches are thus observed in the outer portions of the Another peculiarity of the external canals is, that their secondary branches are almost invariably given off from the posterior aspect of the tubes from which they arise. The intestine is lined with a cylindrical epithelium said to be ciliated, but in the specimens covered with a material resembling inspissated bile.

Another system of tubes, the excretory apparatus, is merely indicated in the specimens, which have been preserved in alcohol, by occasional clumps of delicate, finely-granular epithelium arranged in a somewhat tubular form, the tubules often being branched. Leuckart describes a diverticulum passing from the posterior end of the oral sucker below the pharynx. I find also this condition, though it is present in the longitudinal and horizontal sections, on both sides of the pharynx. I am, therefore, inclined to agree with Mehlis, who regards this appearance as representing a furrow which encircles the projecting end of the pharynx, the nose of the bottle, and seems to promote the process of suction.

The sexual organs are male and female. The former include the penis and its sac, the seminal vesicle—vasa deferentes and testicles. The female organs are the oviduct through which the ova are discharged, the uterus, ovaries, yolk-glands, shell-gland (Leuckart), and vagina, through which impregnation probably takes place. The existence of the latter tube has attracted my special attention, as I have found elsewhere no mention of its presence, and it suggests another complication in the very obscure propagation of the flukes.

The shell-gland may be regarded as the centre of the female sexual organs, as it receives from above the formative and impregnating material, and discharges its contents into the uterus below. It is a rounded, glandular body, of considerable size. lying toward the back of the fluke, and behind the seminal vesicle. Its interior is a globular cavity, somewhat pearshaped, becoming narrow below where it is continuous with the convoluted tube representing the uterus. Above it communicates, by a short, narrow tube, with the conjoined yolk and ovarian ducts, into the ovarian part of which the vagina enters. The ovaries lie toward the ventral surface of the animal, a short distance behind the ventral sucker, and are two large convoluted tubes with blind projections. These tubes unite near the median line into a single tube or duct, which passes upward toward the front of the shell-gland, becomes very narrow, and at one point sharply constricted. Into this narrow duct, beyond the constriction, enters the vagina, and the tube then unites with the yolk-duct, forming a T-shaped figure, the lower arm of which enters the interior of the shell-gland, as before stated.

The yolk-glands are clusters of cells widely distributed throughout the body, and which are apparently connected, eventually two main tubules being formed on either side of the shell-gland. These are connected behind the latter by a transverse tube, from the middle of which arises the narrow yolk-duct, which unites with the ovarian duct.

The vagina is a delicate, convoluted tube which extends vertically upward in the median line over the shell-gland opening upon the back of the fluke. The upper portion of its course has a circular coat of muscular fibres.

The uterus passes downward from the shell-gland as a convoluted tube, which soon becomes very voluminous, and is filled with ova in various stages of development, and granular masses, largely yolk, and partially, probably, spermatozoa. The convolutions of the uterus lie rather behind and around the ventral sucker, toward the ventral surface. The tube finally becomes narrow, with a strong muscular wall, and is thus continued forward on the left, between the seminal vesicle and the ventral sucker, emptying into the genital pouch.

The testes are large convoluted tubes lying chiefly behind the uterus and shell-gland toward the abdominal surface. The vasa deferentes pass forward on either side of the shell-gland and enter separately the posterior and lower end of the seminal vesicle. The latter lies near the dorsal surface of the animal, and extends from just behind the posterior border of the ventral sucker nearly to the genital pouch. Broad behind, it becomes narrow and eventually pointed toward the front, where it is separated on the right by a partition, from a space in which lies, slightly convoluted and imbedded in loose cellular tissue, the muscular tube leading to the penis. This space forms the beginning of the cirrus pouch, which is continued downward and then forward, to terminate in the genital depression.

Leuckart, in describing the anatomy of these parts, calls attention to the difficulties in the way of self-impregnation—a view advanced by some writers. He further considers the apparent difficulties of copulation between two flukes, owing to the relative positions of penis and vagina (oviduct), the spiral

shape of the former and the direct course of the latter, and the marked difference in their volume.

Cobbold has actually observed sexual congress in case of Distoma conjunctum, so that self-impregnation is not a theoretical necessity in case of the hermaphroditic flukes. In considering the physiological purpose of the dorsal tube I have spoken of as a vagina, it seemed to me most likely to serve as a channel for the passage of spermatozoa, from its intimate relation with that part of the sexual organs where the ova were found. That the eggs might be impregnated, they should be without shells, and the only place where such are found is between the ovarian duct and the upper part of the uterus. Did the spermatozoa ascend from the genital pouch, a very long distance would have to be gone over, through a tube narrow and firmly contracted at its lower end, tortuous and distended with eggs beyond. The mechanical difficulties were so marked on the one hand, and so simple and direct an apparatus existed on the other, that I feel no hesitation in speaking of this dorsal tube as a vagina. An additional argument in favor of this view is derived from the presence in the tube of a small amount of finely-granular material resembling the contents of the seminal vesicle.

APPENDIX.—Soon after the above communication the third and final Lieferung of Leuckart's "Menschlichen Parasiten," just published, was received. I find that Stieda has described the dorsal tube alluded to. He at first considered it as a channel for the removal of superfluous yolk, but later regards it as the true vagina, and shows that it exists largely among the Trematoda. The presence of a special vagina, distinct from the oviduct, has since then been determined by other investigators so often, "that it may be regarded as a general characteristic of the Trematoda."

¹ "Archiv für Anatomie und Physiologie," 1867, pp. 52–59.

² Op. cit., 1871, p. 31.

MEDICAL WORKS

PUBLISHED BY D. APPLETON & CO.

Anstie on Neuralgia. 1 vol., 12mo	h 99 50
Rantholoure Transice on Thompsetice	5 00
Rambon on Proposed Diseases 1 vol	5 00
Parker on Sac Sickness 1 vol 18mo	75
Removed Obstatnie Operations 1 vol 8vo	4 50
Rollome and Charity Honital Romarte 1 vol 800	4 00
Remote Winter and Saving on the Mediterranean. 1 vol 19mo	3 50
Remote on the Treatment of Palmonana Consumition 1 vol. 870	1 50
Rillanth's Conseal Surgical Pathology and They mentice 1 vol. 8vo.	5 00
She	ep. 6 00
Raction on the Common Forms of Paralusis from Racin Diseases	1 75
Rulklando (T. D.) Acua ito Pathologu etc.	n nross)
Bastian on the Common Forms of Paralysis from Brain Diseases Bulkley's (L. D.) Acne; its Pathology, etc	th 1 50
Como on the Management of Lagrandy, 1 tol, 18mo	3 00
Carpenter's Mental Physiology	0 00
ited by George Fleming, F. R. G. S., M. A. I. 1 vol., 8vo, with 450 Illustrations	6.00
ited by George Fleming, F. R. G. S., M. A. I. 1 vol., 8vo, with 450 Illustrations Davis's (Henry G.) Conservative Surgery. Dickson on Medicine in Relation to the Mind. Elliot's Obstetric Clinic. 1 vol., 8vo Ecker's Convolutions of the Brain. Fitut's Physiology. 5 vols., 8vo Flint's Text-Book of Human Physiology. 1 vol., 8vo Cloth, 9cf vol., \$4 50; She Flint's Manual on Urine. 1 vol., 12mo Cloth, 8cf 00; Flint's Relations of Urea to Exercise. 1 vol., 8vo Cloth	3 00
Bieleon an Medicine in Polation to the Mind	3 50
Filling a Abstatuse Clinic 1 vol 2vo	4 50
Exhapts Consolutions of the David	1 25
Elistic Phasislages 5 vole 2vo	ep. 5 50
With the Text - Rook of Human Physiology 1 vol 800 Cloth & One	7 00
Etting of Leave From of Little 1 and 10mg 1 vol., 6vo	th. 1 00
Filint's Deletions of These to Exempios 1 vol Cre	1 00
Punyle Histology and Histology and Histology	5 00
They's interesty and instr-chemistry of inch.	3 00
Holland's Kin Hanny Pacellactions of Part Life 1 vol 10mg	2 00
	8 00
Howe on the Breath, and the Diseases which give it a Fetid Odor	0.00
	1 00
Huxley on the Anatomy of Vertebrated Animals, 1 vol	10 00
Huxtey that Tourish is Physiology and Lygiene. I vol., Ixmo	
Hammond's Insanty in its Retaired to Crime. I vol., ovo	1 00
Hammond's Diseases of the Nervous System. 1 vol., 8voCloth, \$6 00; She	ep, 7 00
Hammond's Clinical Lectures on Diseases of the Nervous System. 1vol., 8v	o. 3 50
Talmeton's (A. McL.) Licerro-Inerapeutes, 1 vol., 8vo	th, 2 00
Hamilton's (A. McL.) Electro-Therapeutics. 1 vol., 8vo	3 00
Letterman's Recotlections of the Army of the Potomac. 1 vol., 8vo	1 00
Metres 8 Fugstology of Common Laje. 2 vols. 12mo	3 00
Markoe on Diseases of the Bones, 1 vol., 8vo. Maudsley on the Mind. 1 vol., 8vo	4 50
indicastry on the mind. I vol. 8vo.	3 30
Mandsley's Body and Mind. I vol., 12mo.	1 00
Manualty on Responsibility on Mental Disease	1 00
meyer's Electricity. I vol. 800	4 00
Notice of the Column of the content of the column of the c	sp, 11 00
Neftet on Gaivano-Inerapeutics. 1 vol., 12mo	th, 1 00
Nightingate's Notes on Nursing. I vol., 12mo	4 00
Neumann on skin inseases, 1 vol., ovo.	400
New York Medical Journal	es, 50
Paget's Clinical Lectures and Essays. 1 vol., 8vo	th, 5 00
Province of Warrian Lumors. 1 Vol., 8V0.	0 00
Richardson is Discovery Windows Life 1 vol., 8voCloth, \$1 00; She	ep, 8 00
Acceptation & Discusses of Modern Life. I vol., 12mo	1 00
Sayre's Child-Foot. I Vol., 1200.	1 00
With numerous Illustrations	000
With numerous finistrations	ep, 6 00
Schroeder on Joseph William & Children Diameter Commenced	th, 3 50
Stemen's Compensation of the Double of the Deside the 1 tons	3 50
Strong's Engsteat Cause of the Death of Christ. I vol., 12mo	2 00
Swett on Discuses of the Chest. 1 vol., 8vo Simpson's (Sir Jas. Y.) Complete Works. Vol. I. Obstetrics and Gynæcology. 8vo. Vol. II. Anæsthesia, Hospitalism, etc. 8vo. Vol. III. The Discussion of Works. Vol. Will are the Chest. 2 vol. Stor.	8 50
Simpson's (Str 908. 1.) Complete works. Vol. 1. Obstetles and Gyme-	
cology, 8yo, vol. 11. Allesthesia, hospitalish, etc. 8yo, vol. 11. The Dis-	am 4 00
	ep, 4 00
Tilt's Uterine Therapeutics. 1 vol., 8vo	th, 3 50
Tilt's Uterine Therapeutics. 1 vol., 8vo	1 50
Vanile Diegen of allithment and Synthesis, With Syphetics. Cloth, 55; She	ep, 6 00
Wells on Discovery of the Oranics 1 vol. 500	5 50
Vogel's Diseases of Children. 1 vol. 8vo	
Walton's Mineral Springs of the United States and Canada. With Anal-	5 00
yses and Notes on the Prominent Spas of Europe	2 00
Jobs and Alvior on the Alvinthette Spac of Entopositions of the Space	2 00

^{*, *} Any of these works will be mailed, post-free, to any part of the United States, on receipt of the price.

A large and carefully-selected stock of Medical Works, American and Foreign, constantly on hand. Descriptive Catalogue forwarded on application.

Physicians desiring to have their names inserted in our Medical Directory of the United States and Canada, will please send them in full, with addresses. No charge.

APPLETONS'

AMERICAN CYCLOPÆDIA.

NEW REVISED EDITION.

Entirely rewritten by the ablest writers on every subject. Printed from new type, and illustrated with Several Thousand Engravings and Maps.

The work originally published under the title of The New American Cyclopædia was completed in 1863, since which time the wide circulation which it has attained in all parts of the United States, and the signal developments which have taken place in every branch of The reverse that the signal developments which have taken place in every banch of and thorough revision, and to issue a new edition entitled The American Cyclopædia.

Within the last ten years the progress of discovery in every department of knowledge has made a new work of reference an imperative want.

The movement of political affairs has kept pace with the discoveries of science, and their fruitful application to the industrial and useful arts and the convenience and refinement of retain application to the industrial and useful arts and the convenience and reinheight of social life. Great wars and consequent revolutions have occurred, involving national changes of peculiar moment. The civil war of our own country, which was at its height when the last volume of the old work appeared, has happily been ended, and a new course of commercial and industrial activity has been commenced.

Large accessions to our geographical knowledge have been made by the indefatigable complexity of A tries.

explorers of Africa.

The great political revolutions of the last decade, with the natural result of the lapse of The great political revolutions of the last decade, with the natural result of the lapse of time, have brought into public view a multitude of new men, whose names are in every one's mouth, and of whose lives every one is curious to know the particulars. Great battles have been fought, and important sieges maintained, of which the details are as yet preserved only in the newspapers, or in the transient publications of the day, but which

ought now to take their place in permanent and authentic history.

In preparing the present edition for the press, it has accordingly been the aim of the editors to bring down the information to the latest possible dates, and to furnish an accurate account of the most recent discoveries in science, of every fresh production in literature, and the newest inventions in the practical arts, as well as to give a succinct and original record of the progress of political and historical events.

The work has been begun after long and careful preliminary labor, and with the most ample resources for carrying it on to a successful termination.

ample resources for carrying it on to a successful termination.

None of the original stereotype plates have been used, but every page has been printed on new type, forming in fact a new Cyclopædia, with the same plan and compass as its predecessor, but with a far greater pecuniary expenditure, and with such improvements in its composition as have been suggested by longer experience and enlarged knowledge.

The illustrations, which are introduced for the first time in the present edition, have been added not for the sake of pictorial effect, but to give greater lucidity and force to the explanations in the text. They embrace all branches of science and of natural history, and depict the most famous and remarkable features of scenery, architecture, and art, as well as the various processes of mechanics and manufactures. Although intended for instruction rather than embellishment, no pains have been spared to insure their artistic excellence; the cost of their execution is enormous, and it is believed that they will find a welcome reception as an admirable feature of the Cyclopædia, and worthy of its high character.

This work is sold to subscribers only, payable on delivery of each volume. It is now completed in sixteen large octavo volumes, each containing over 800 pages, fully illustrated with several thousand Wood Engravings, and with numerous colored Lithographic Maps.

PRICE AND STYLE OF BINDING.

In extra cloth, per vol	17.0	\$5.00	In half russia, extra gilt, per vol	\$8.00
In library leather, per vol		6.00	In full morocco antique, gilt edges, per vol.	10.00
In half turkey morocco, per vol.		7.00	In full russia, per vol	10.00

** Specimen pages of the American Cyclopædia, showing type, illustrations, etc., will be sent gratis, on application.

> D. APPLETON & CO., PUBLISHERS, 549 & 551 Broadway, New York.